Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX

[The names of species described as new, and new combinations are in **bold face type.**]

Acanthospermum australe, 159
Acer macrophyllum, 155; rubrum, 7, 11, 108, 177, 178, 135, 203; Saccharum, 140; saccharinum, 140
Acerates, 140
Achillea millefolium, 156
Agalinis, 140
Agaricaceae, 118
Agaricus arvensis, 179; campestris, 179, 219
Agrimonia sp., 10
Agropyron glaucum, 157; junceum, 157; pungens, 157; repens, 157
Agrostis alba, 120, 154, 155; stolonifera, 157
Aletris, 140
Alexander, S., death of, 89
Allium tricoccum, 137
Alnus rugosa, 8, 136
Alopecurus agrestis, 157; aristulatus, 154
Amanita caesarea, 179; citrina, 214, 216; cothernata, 209, 212; mappa, 214, 216; muscaria, 179, 208, 216; pantherina, 209, 212, 214; phalloides, 175, 179, 209, 210, 214, 216; solitaria, 209, 214, 216; spreta, 209, 214; verna, 214, 216, 220; virosa, 214, 216
Amanitopsis volvata, 209, 214, 216
Amaranthus gracilis, 158
Amblystegium Kochii, 119
Ambrosia tenuifolia, 159
Ambrosiaceae, 122
American Museum of Natural History, Meetings at, 30, 31, 88, 166, 227
Ammophila arenaria, 9, 11, 57, 157
Anagallis arvensis, 156
Anamomis in Florida, The genus, 221
Anamomis bahamensis, 224; dicrana, 222, 224; longipes, 224; **Simpsonii**, 222, 224
Anaphalis margaritacea, 155
Anchistea, 140
Andrews, A. L., Biological notes—III. Further mosses new to Iceland, 60
Andricus cornigerus, 111
Andropogon, 139, 140; maritimus, 10, 12; virginicus, 120
Anemone, 140; quinquefolia, 141
Angelica hirsuta, 9, 11
Angiospermae, 120
Annona diversifolia, 72; cheromolia, 70, 73; glabra, 73; montana, 72; muricata, 70, 71; purpurea, 72; reticulata, 70, 74, 76; squamosa, 70, 75
Annona in the Hawaiian Islands, The genus, 69
Antennaria, 141; neo-dioica, 177; plantaginifolia, 10
Anthemis arvensis, 156
Anthostomella, sepelibilis, 112
Anthyllis Vulneraria, 158
Apocynum, 140
Aquilegia, 140
Arachis hypogaea, 78, 79
Aralia nudicaulis, 9, 11, 137
Arbor, 189
Arctium minus, 156
Arctostaphylos, 140
Arctotis calendulacea, 159
Arisaema, 138, 139, 142; triphyllum, 136
Arista, 189
Aristida, 140
Armillaria mellea, 179
Artemisia Tilesii, 155; vulgaris, 159
Arthur, J. C., 88; Rusts of the West Indies, 24
Articuli, 189
Artocarpus chapalasha, 40; communis, 34, 35; hirsuta, 40; incisa, 34, 35; integrifolia, 48
Artocarpus in the Hawaiian Islands, The genus, 33
Asarum, 140
Asclepiadaceae, 122
Asclepias, 140; purpurascens, 122
Ascomycetes, 112
Asparagi, 189
Asparagus officinalis, 155
Asphondylia globosus, 111
Asplenium Filix-foemina, 136; platyneuron, 140
Aster cordifolius, 137; divaricatus, 9, 12, 136, 139; Douglasii, 155; macrophyllus, 137; patens, 10
Asterella tenella, 118
Atkins's Some Recent Researches in Plant Physiology (Review), 27
Atriplex hastata, 10; patula, 158
Aureolaria, 140; flava, 12; Pedicularia, 11, 12; villosa, 9
Avena sativa, 155

Azalea nudiflora, 140; viscosa, 136

Baccae, 189
Baccharis, 140
Bacillus tracheiphilus, 112
Bacterium tumefaciens, 128
Baptisia tinctoria, 9, 11
Barnhart, J. H., 19, 87, 107, 110, 164
Bartonia, 140
Basidiomycetes, 115
Beardslee, H. C., 107
Benzoin aestivale, 8, 135, 139
Berry, E. W., 129; Pleistocene Plants in the Marine Clays of Maine, 160
Betula allegheniensis, 140; lenta, 12, 135, 138; lutea, 140; nigra, 149; populifolia, 8, 11, 108, 135
Biatoria rivulosa, 118; uliginosa, 118
Bicuculla, 140, 141
Bidens Beckii, 84
Black, C. A., 169
Blakeslee, A. F., 166
Blephariglottis psycodes, 120
Boas, H. M., Hybrid Origin of Oenothera Lamarckiana (Review), 127
Boehmeria, 140
Bolbitius, 228
Boletus cyanescens, 179; edulis, 219; Frostii, 117; granulatus, 219; luridus, 209, 212; scaber, 219; sensibilis, 209, 211
Boraginaceae, 122
Botrychium, 140
Botryorhiza, 88
Botrydium granulatum, 112
Botryosphaeria Ribis, 112
Brachia, 189
Brachyelytrum, 140
Brasenia, 140
Brassica arvensis, 156; campestris, 156; incana, 158
Braun, H., 107
Bray, W. L., Trelease on Phoradendron (Review), 16
Britton, E. G., 31, 68, 168
Britton, N. L., 29, 30, 31, 87, 110, 164, 168, 228
Broadhurst, J., 19, 87, 107; Self-pruning in the American elm, 21
Bromus carinatus, 154; hordeaceus, 155; inermus, 155; marginatus, 155; rubens, 155; secalinus, 155; tectorum, 155; villosus, 155
Brooklyn Botanic Garden, 32, 53, 89
Brown, J. E., 107
Bryological Notes—III. Further mosses new to Iceland, 60
Bulbi, 190
Bulletin of the Torrey Botanical Club, 103
Burgess, E. S., 29
Burnham, S. H., The Naiadales of the Flora of the Lake George Region, 80
Burnham, S. H., & Latham, R. A., Corrections of the Flora of the Town of Southold, 164; The Flora of the Town of Southold, Long Island and Gardiners Island, 111
Butler, B., 29

Cachryes, 190
Cakile edentula, 10, 12
Calamagrostis, 140
Calathus, 190
Caldwell, O. W., 54; Gager's Fundamentals of Botany and Laboratory Guide (Review), 52
Caltha, 140
Calyx, 190
Camelina microcarpa, 158
Campanula, 140
Campylopus compactus, 61; Schimperi, 61
Cantharellus aurantiacus, 209, 210; cibarius, 219
Capillamenta, 190
Capnoides, 140
Capsella Bursa-pastoris, 156
Capreoli, 190
Caput, 190
Carduus crispus, 159; nutans, 159
Carex arenaria, 157; cephalophora, 137; crinita, 137; debilis, 120; digitalis, 137; hirta, 157; laxiflora, 120, 137; lurida, 137; Pennsylvanica, 136, 9, 11; rosea, 136, 139; stipata, 137; stricta, 137; vestita, 11, 12; virescens, 137
Caro, 190
Carpinus caroliniana, 135, 139
Castalia, 140
Castanea dentata, 7, 134
Catastoma circumscissum, 118
Castilleja, 141
Caudex, 190
Caulis, 191
Catholic World, 206
Ceanothus, 140
Celastrus, 12, 139; scandens, 8, 135
Celtis occidentalis, 121
Cenchrus carolinianus, 157
Centaurea calcitrapa, 159; consimilis, 159; melitensis, 156
Cephalanthus occidentalis, 136
Cephalozia fluitans, 118; Francisci, 118; macrostachya, 119; media, 119
Cerastium viscosum, 156
Cercidiphyllum, 30
Cercospora Teucrii, 114
Cervix, 191

Chamaecyparis, 140
Chamaedaphne, 108, 140
Chamaenerion angustifolium, 10, 12
Chamaesyce polyginifolia, 10, 12
Chelone, 140
Chenopodiaceae, 121
Choate, H. A., The earliest glossary of botanical terms; Fuchs 1542, 186
Chenopodium album, 155; ambrosioides, 155
Chimaphila, 140; umbellata, 177
Chloris radiata, 157
Chlorosplenium chlora, 112
Chroolepus, 124
Chrysanthemum Leucanthemum, 156
Chrysopsis, 140; amplifolia, 27; caudata, 27; fulcrata, 27; hispida, 27; horrida, 27; resinolens, 27
Chrysosplenium, 140; americanum, 121
Cicer arietinum, 76
Cichorium Intybus, 157
Cimicifuga racemosa, 137
Cinna arundinacea, 137
Circaea latifolia, 10, 12, 136, 138, 139
Cirri, 191
Cirsium arvense, 156; lanceolatum, 156
Cistaceae, 140
Cladonia macilenta styracella, 118; ochrochlora ceratodes, 118
Cladosporium Typhae, 114
Cladrastris, 182
Claviculae, 191
Claviceps purpurea, 210
Claytonia, 140
Clematis, 139, 140
Clements's Plant Succesion (Review), 62
Clethra alnifolia, 8, 11, 136
Clintonia borealis, 177
Clitocybe illudens, 179, 209, 212.
Cockerell, T. D. A., Lamium amplexicaule in Colorado, 123
Cochranea anchusaefolia, 158
Coelopleurum actaeifolium, A New Station for, 103
Coleosporiaceae, 115
Coleosporium delicatulum, 115; Helianthi, 115
Collybia velutipes, 219
Collins, J. F., 107
Collinsonia canadensis, 9, 12, 136
Coluta australis, 159
Coma, 191
Comandra, 140
Compositae, 122
Comptonia, 140
Concannon, J. J., 165
Concerning Some Species of Chrysopsis in Colorado, 27
Congius, 191
Conium maculatum, 156
Conus, 191
Convolvulus arvensis, 156
Cook, M. T., 165
Coombs, Mrs. J., 167, 228
Coprinus comatus, 179, 219; atramentarius, 219
Corchorus pilolobus, 158
Cor, 191
Cornus alternifolia, 136; florida, 135, 138, 8, 12
Coronilla varia, 158
Coronopus didymus, 158
Corrections of the Flora of the Town of Southold, 164
Corrigiolaceae, 121
Corticium incarnatum, 117
Corylus americana, 136
Corymbus, 191
Cortex, 192
Cotyle, 192
Coville, F. V., 53
Crataegus, 6, 140
Crenae, 192
Crepidotus, 228, 229
Crepis capillaris, 157
Crinum longifolium, 182
Crocanthemum, sp., 10, 12
Cruciferae, 140
Cryptomeria, 30
Cucubitaria elongata, 113
Cubitus, 192
Culmus, 192
Cuscuta sp., 137
Cyclomyces Greeni, 117
Cynodon Dactylon, 155
Cyperaceae, 120
Cyperus, 140; ferax, 157; Grayi, 120; Houghtoni, 120; kyllingaeoides, 157
Cyrtidula rhoica, 118
Cytospora leucostoma, 114

Dacryomyces deliquescens, 117
Dacryomycetaceae, 117
Dactylis glomerata, 155
Darling, C. A., 107
Darrow, I. C., 168
Dasyscypha Ellisiana, 112
Datura Tatula, 122; villosa, 159
Davis, W. T., Juniperus communis on Long Island and Staten Island, 99
Decade of the Salton Sea, A, 32
Decodon noveboracensis, 139; verticillatus, 108, 135
Decussis, 192
Dennstaedtia, 140
Deringa canadensis, 137
Deschampsia, 140; elongata, 154
Detroit Free Press, 89
Diaporthe ocularia, 113; rhoina, 113

Diastrophus Potentillae, 112
Diatrypella Cephalanthi, 113
Dicotyledones, 121
Dicranella Grevilleana, 61; Schreberi, 61
Didymodon rufus, 61
Diervilla, 140; lonicera, 178
Digitaria sanguinalis, 155
Dilutum, 192
Diodia teres, 122
Diospyros, 140
Diplodia hyalospora, 114; Maydis, 114
Diplodina atriplicis, 114
Diplotaxis tenuifolia, 158
Dirca, 140
Discovery of Endophyllum sempervigi (Alb. & Schw.) deBarry in North America, The, 84
Distichlis spicata, 9, 154
Dodge, B. O., 19; Proceedings of the Club, 28, 86, 109, 166, 228
Dodrans, 192
Doellingeria, 140
Dondia linearis, 121; maritima, 10
Dothidia ribesia, 113
Douglass, H. B., 29, 31, 88; Mushroom Poisoning, 171, 207
Downing, M., 206
Drosera, 140
Dryopteris hexagonoptera, 120; simulata, 10; spp., 140; Thelypteris, 136
Dulichium arundinaceum, 137, 138

Earliest glossary of Botanical terms; Fuchs 1542, The, 186
Echinus, 192
Elatinaceae, 122
Elatine americana, 122
Eleocharis spp., 140; tenuis, 137
Eleusine indica, 157; tristachya, 157
Elymus, 140; glaucus, 154; halophilus, 120; striatus, 120
Enequist, J., 228
Epigaea, 140, 141
Epilobium adenocaulon, 155; angustifolium, 155
Equisetum, 140; arvense, 154
Eragrostis, 140; cyperoides, 157; Orcuttiana, 157; pectinacea, 10
Erigeron canadensis, 156; pulchellus, 140
Erodium cicutarium, 156; inoschatum, 158
Erythronium, 140, 141; americanum, 58, 59; albidum, 59; citrinum, 60; grandiflorum, 59, 60; giganteum, 60; montanum, 60; parviflorum, 60; propullans, 60
Eschscholzia californica, 154
Eumycetes, 112
Eupatorium perfoliatum, 137; purpureum, 9, 136; sessilifolium, 11, 12; spp., 140
Euphorbiaceae, 140
Euphyceae, 112
Euthallophyta, 112
Eutypella deusta, 113; prunastri, 113
Evans, A. W., 19; A New Station for Coelopleurum actaefolium, 103
Evans, J., 31
Excursion to Delaware Water Gap, An, 148

Fabaceae, 121
Fagopyrum Fagopyrum, 121
Fagus, 12; grandiflora, 135
Falcata, 9; comosa, 9, 12, 136, 138
Festuca megalura, 154; rubra, 154
Fimetaria fimicola, 113
Fibrae, 193
Fimbriae, 193
Fissidens minutulus, 119
Fistulina hepatica, 179
Flagella, 193
Flammula,
Flora of the Rocky Mountains, 229
Flora of the Town of Southold, Long Island and Gardiners Island, The, 111
Foeniculum vulgare, 156
Folliculus, 193
Fomes pinicola, 55, 57
Fontinalis dalecarlica, 119
Foreign Trees in the City Parks, 30
Fossombronia foveolata, 119
Fragaria virginiana, 9, 12
Franseria bipinnatifida, 155
Fraxinus americana, 135; spp., 140
Fritsch's The Algal Ancestry of the Higher Plants (Review), 123
Fructus, 193
Frutex, 193
Frons, 193
Fungi, 112
Funston, F., 53

Gager, C. S., 19, 29, 87, 167; Atkins's Some Recent Researches in Plant Physiology (Review), 27
Gager's Fundamentals of Botany and Laboratory Guide (Review), 52
Galera, 228
Galerula, 228, 229
Galium circaezans, 10, 137; verum, 159
Gardenia edulis, 35
Gasteromycetes, 118
Gaultheria, 140; procumbens, 177, 178
Gaylussacia, 140; baccata, 8; dumosa, 161, 162; frondosa, 8, 11
Gentiana, 139, 140; crinita, 141

Genus Annona in the Hawaiian Islands, The, 69
Genus Artocarpus in the Hawaiian Islands, The, 33
Gemma, 193
Geniculi, 193
Genus Anomomis in Florida, The, 221
Geraniaceae, 121
Geranium carolinianum, 12; maculatum, 9, 136; molle, 121; Robertianum, 140; sibiricum, 16
Geum, 138; canadense, 137
Gilia capitata, 155
Ginkgo, 30
Ginkgo biloba, L., Sexual dimorphism and variation in, 225
Gleason, H. A., Some Effects of Excessive Heat in Northern Michigan, 176
Glomerella rufomaculans, 165
Gloniopsis Cookeana, 113; fibriseda, 113; Lonicerae, 113
Glycine Apios, 10, 12
Gluma, 194
Gnaphalium purpureum, 122, 155
Gramineae, 120
Gratiola, 140
Green, E. L., 206
Greenwood, H. E., 167, 228
Grier, N. M., Sexual dimorphism and variation in Ginkgo biloba L., 225
Griffithsia tenuis, 112
Grossi, 194
Grout's Moss Flora of New York City and Vicinity (Review), 67
Gundersen, A., 30
Gymnadeniopsis clavellata, 121
Gymnopilus, 229
Gymnosporangium, 149; bermudianum, 166; globosum, 116
Gyromitra esculenta, 179, 209, 210, 211, 214, 217
Gyrotheca tinctoria, 108

Halsted, B. D., "Peanuts," 77; Weight of Seeds as related to their Number and Position in the Pod, 101
Hanamelis, 140
Hansen, A. A., An Interesting New Station for Geranium sibiricum, 16; Sandy Sporophores, 55
Hariot, P., death of, 169
Harper, R. A., 29, 31, 164, 108, 228
Harper, R. M., The Native Plant Population of Northern Queens County, Long Island, 131; The Natural Vegetation of Western Long Island south of the Terminal Moraine, 1; Shreve's Vegetation Map of the United States (Review), 103
Harris, J. A., 19; The Weight of Seeds as Related to their Number and Position, 180
Harshberger, J. W., 19, 110; William Young, Jr., of Philadelphia, Queens Botanist, 91
Harshberger's Mycology and Plant Pathology (Review), 226
Hawaiian Islands, The Genus Annona in the, 69; The Genus Artocarpos in the, 33
Hebeloma, 229
Helianthus, 89, 140; decapetatus, 122; divaricatus, 9, 11
Hemizonia pungens, 159
Hepatica, 140, 141
Hepaticae, 118
Hemina, 194
Herba, 194
Hesler, L., 32
Hesler and Whetsel's Manual of Fruit Diseases (Review), 226
Heuchera, 140
Hibiscus militaris, 147; Moscheutos, 142–148, 10, 137; oculiroseus, 142–148
Hickoria alba, 7, 11, 12; ovata, 140; spp., 135
Hieracium, 140; canadense, 155
Hill, E. J., death of, 32, 107
Holcus lanatus, 155
Hopkins, L. S., 88
Hordeum jubatum, 154; maritimum, 157; murinum, 155
House, H. D., The Peck Testimonial and Exhibit of Mushroom Models, 178
Houstonia, 140
Howe, M. A., 19, 31, 86, 87, 107, 164; Fritsch's The Algal Ancestry of the Higher Plants (Review), 123; Grout's Moss Flora of New York City and Vicinity (Review), 67; Proceedings of the Club, 107, 228
Hudsonia tomentosa, 57
Hull, E. D., 88
Hus, H., 165
Hybrid Origin of Oenothera Lamarckiana (Review), 127
Hydnaceae, 117
Hydnum imbricatum, 117
Hydrocotyle, 140
Hypericum, 140; perforatum, 156
Hypholoma appendiculatum, 219; perplexum, 219
Hypnum curvifolium, 119
Hypochaeris radicata, 157
Hypoderma Smilacis, 113
Hypomycetes, 114
Hypopitys, 140

Hypoxylon cohaereus, 11; smilacicolum, 113
Hysteriographium Vaccinii, 113; vulvatum, 113

Ibidium ochroleucum, 121
Ilex glabra, 140; verticillata, 161, 162
Ilysanthes, 140
Impatiens biflora, 9, 12, 136
Inocybe, 228; asterospora, 179; infida, 209, 212
Insect Galls, 111
Interesting New Station for Geranium sibiricum, An, 16
Internodium, 194
Intervenium, 194
Introduction of Foreign Weeds in Ballast as Illustrated by Ballast-plants at Linnton, Oregon, The, 151
Ionactis, 140; linariifolius, 122
Ipomoea, 140
Iris, 40
Isoetes, 140
Iva frutescens, 122; oraria, 8, 136
Iuba, 194
Iulus, 194

Journal of the International Garden Club, 182
Johnson, A. M., 228
Juglans cinerea, 135
Juncoides campestre, 11, 12, 136, 139
Juncus Gerardi, 9, 137; spp., 140
Juniperus, 140; communis depressa, 140, 141; virginiana, 8, 141
Juniperus communis on Long Island and Staten Island, 99

Kalmia, 140
Kew Bulletin, 129
Kuehneola Uredinis, 116
Kunkel, L. O., A Method of Obtaining Abundant Sporulation in Cultures of Macrosporium Solani, E. & M., 123

Labiatae, 122, 140
Laboratory Outlines in Plant Pathology (Review), 227
Labrella, nitida, 114
Lachryma, 194
Laciniaria, 140
Lactarius torminosus, 211
Lactuca scariola, 157; scariola integrata, 157
Laestadia polystigma, 113
Lamium amplexicaule in Colorado, 123
Lappula virginiana, 122
Lanugo, 194
Latham, R. A., & Burnham, S. H., Corrections of the Flora of the Town of Southold, 164; The Flora of the Town of Southold, Long Island and Gardiner's Island, 111
Lecanora pallescens, 118
Lecanidion atretum, 112
Leguminosae, 140
Lemna minor, 136
Length of Erythronium Stamens, The, 58
Lentibulariaceae, 122, 140
Lepidium apetalum, 154; Draba, 158; graminifolium, 158; medium, 158; perfoliatum, 156; reticulatum, 158; virginicum, 158
Lepiota Morgani, 209, 211; naucina, 179; procera, 179
Leptandra, 140; virginica, 10, 12
Leptostroma filicinum, 114; virgultorum, 114
Leptostromella hysterioides, 114
Leptothyrium litigiosum, 114; Pomi, 114
Lepturus incurvatus, 157
Lespedeza hirta, 11
Levine, M., 19, 107
Leucothoe racemosa, 136
Lichens, 118
Lilium, 140; superbum, 10, 12
Limonium, 140; carolinianum, 9
Linaria vulgaris, 156
Linum, 139, 140
Liquidambar, 12; Styraciflua, 135, 138, 139
Liparis liliifolia, 121
Liriodendron Tulipifera, 7, 12, 135, 138, 139
Lobelia, 140
Lobularia pulmonaria, 118
Lolium multiflorum, 120, 155; perenne, 155
Lonicera, 140; sempervirens, 8, 11
Lophocolea minor, 119
Lophiotrema praemorsum, 113
Lophodermium arundinaceum, 113
Lorinseria, 140
Lotus corniculatus, 158
Lycoperdon umbrinum, 118
Lycopodiaceae, 120
Lycopodium, 140; adpressum, 120
Lyman, G. G., 29
Lysimachia quadrifolia, 9, 136

MacCaughey, V., The Genus Annona in the Hawaiian Islands, 69; The Genus Artocarpus in the Hawaiian Islands, 33
MacDougal, D. T., 31
Macrophoma pulchrispora, 114

Macrosporium Solani, 123
Malaceae, 121
Marquette, W., 19
Malicorium, 195
Malleolus, 195
Marrubium vulgare, 156
Matricaria inodora, 159
Marrix, 195
Mattoon, W. R., Pinus caribaea: an Extension of Range in Louisiana, 49
Mazzantia sepium, 113
Mechanics of Tumor Growth in Crown Gall (Review), 128
Meckstroth, G. E., 107
Medicago hispida, 156; sativa, 156; lupulina, 158
Medulla, 195
Meetings of the Club at Columbia University, 109; At the American Museum of Natural History, 30, 31, 88, 166, 227; at the New York Botanical Garden, 28, 31, 86, 107, 164, 167, 228
Meibomia canescens, 121; grandiflora, 11; marylandica, 10; nudiflora, 9, 11, 12, 138; paniculata, 10, 12; rigida, 10, 12
Meier, H. F. A., Mechanism of Tumor Growth in Crown Gall (Review), 128
Melampsora Medusae, 115
Melampsoraceae, 115
Melampyrum, 140
Melanconiales, 114
Melanthaceae, 140
Melilotus alba, 156; officinalis, 121, 156
Melissa officinalis, 156
Melittosporium hysterinum, 112
Merrill, E. D., Type, Cotype and Tototype labels, 13
Mertensia amoena, 176; lanceolata, 176; lateriflora, 176; **media**, 175
Mertensia, A New, 175
Merulius Corium, 117
Mesembryanthemum crystallinum, 158; nodiflorum, 158
Methods of Modern Illustration, 109
Methods of Obtaining Abundant Sporulation in Culture of Macrosporium Solani, E. & M., 123
Mikania scandens, 122
Mimosa asperata, 158
Mimulus, 140
Mitchella, 140, 141; repens, 177
Monodora, 29; grandiflora, 29; microcarpa, 29; Myristica, 29
Monotropa, 140
Moore, B., 89, 165
Moraceae, 121
Morchella, 179, 219; deliciosa, 179; esculenta, 219
Morgan, O. S., 86, 107
Morus rubra, 121
Moyer L., death of, 228
Mucro, 195
Muhlenbergia, 140
Murrill, W. A., 31, 88, 228; An Excursion to Delaware Water Gap, 148
Musci, 119
Muscus, 195
Muscaria, 196
Mushroom Poisoning, 171, 207
Mycena, 228, 229
Myiocopron Smilacis, 113
Myosotis laxa, 122
Myrica, 140; carolinensis, 8
Myxonema, 124

Nabalus sp., 10, 137
Naiadales of the Flora of the Lake George Region, The, 80
Naias flexilis, 84
Nash, G. V., 29, 30
Nassella chilensis, 157
Native Plant Population of Northern Queens County, Long Island, The, 131
Natural Vegetation of Western Long Island South of the Terminal Moraine, The, 1
Nature of Species in the Rusts, The, 88
Naucoria, 228, 229
Nelson, J. C., The Introduction of Foreign Weeds in Ballast as Illustrated by Ballast-plants at Linnton, Oregon, 151
Nemopanthes, 140
New and Special Plantations of the New York Botanical Garden, 30
New Mertensia, A, 175
New Station for Coelopleurum actaeifolium, A, 103
New York Academy of Sciences, 110
New York Botanical Garden, Meetings at, 28, 31, 86, 107, 164, 167
Newcombe, F. C., 19
News Items, 19, 32, 53, 67, 89, 110, 129, 169, 182, 206
Northrop, A. R., 167, 228
Notes Regarding Variability of the Rose Mallows, 142
Notothylas orbicularis, 119
Nucamenta, 196
Nummularia microplaca, 113
Nyssa, 108; sylvatica, 7, 135

Observations on Tree Girdling, 229
Oculus, 196
Odontoschisma prostratum, 164; Sphagni, 119, 164

Oenothera franciscana, 127; Lamarckiana, 127; mollissima, 158; neo-Lamarckiana, 127
Olive, E. W., 19, 88; Harshberger's Mycology and Plant Pathology (Review), 226; Hesler and Whetzel's Laboratory Outlines in Plant Pathology (Review), 227; Manual of Fruit Diseases (Review), 226
Onoclea sensibilis, 136
Ononis arvensis, 158
Opuntia, 140, 141
Orchidaceae, 120, 140
Osmunda cinnamomea, 9, 11, 137; regalis, 137
Osterhout, G. E., Concerning Some Species of Chrysopsis in Colorado, 27; A New Mertensia, 175
Ostrya virginiana, 135, 140
Overholts, L. O., The Structure of Polyporus glomeratus Peck, 202
Oxypolis, 140

Pallavicinia Lyellii, 119
Palma, 196
Palmus, 196
Palmites, 196
Pampini, 196
Panaeolus, 88; campanulatus, 209, 215; papilionaceus, 209; semiglobatus, 89, 172, 215; retirugis, 172, 209, 215; venenosus, 215
Panicula, 196
Panicularia nervata, 137
Panicum barbinode, 157; commutatum, 9; dichotomum, 9, 11; flexile, 120, Lindheimeri, 120; virgatum, 9, 137, 120
Panus laevis, 118; stipticus, 209, 211
Papaver Argemone, 158; dubium, 158
Pappus, 197
Parasitic Fungi of New Jersey, 165
Parnassia, 140
Parthenocissus quinquefolia, 8, 135
Paspalum, 140; dilatatum, 157; pubescens, 120
Paulownia, 30
Paxillus, 229
Peanuts, 77
Peck, C. H., death of, 170
Peck Testimonial Exhibit of Mushroom Models, The, 178
Pediculus, 197
Pedamenta, 197
Pellia Fabroniana, 119
Peltandra virginica, 137
Peltigera polydactyla, 118; scutata, 118
Penicillium lutens, 166
Pennell, F. W., Proceedings of the Club, 166
Persicaria, 140
Pestalozzia conigena, 114
Phalaris arundinacea, 154; brachystachys, 157; minor, 157; paradoxa, 157
Phellodendron, 30
Phleum pratense, 155
Phlyctaena arcuata, 114; complanata, 114
Pholiota autumnalis, 209, 212
Phoma Cydoniae, 114; longipes, 114; media, 114; nebulosa, 114; sepincola, 114; strobiligena, 114; verbascicola, 114
Phomopsis cryptica, 114; occidentalis irregularis, 115; vepris, 115
Phoradendron, 16–, 9; flavescens, 17
Phragmidium americanum, 116; Potentillae-canadensis, 116; Rosae-setigerae, 116
Phragmites communis, 136
Phyllachora Cyperi, 113
Phylloporus, 229
Phyllosticta Baccharidis, 115; orobella, 115
Physcia obscura virella, 118
Physalospora Potentillae, 113
Phytophthora Phaseoli, 112
Pickett, F. L., The Length of Erythronium Stamens, 58
Pieris Mariana, 140
Pilula, 197
Pinus caribaea, 49–52; palustris, 51; resinosa, 58; strobus, 58; Taeda, 50
Pinus caribaea: an Extension of Range in Louisiana, 49
Plagiothecium Roeseanum, 119
Plantago, 140; coronopus, 159; lanceolata, 156; major, 156
Plasmopara cubensis, 112
Platanus, 140
Pleistocene Plants in the Marine Clays of Maine, 160
Pleospora herbarum, 113; Salsolae, 113
Pleurotus ostreatus, 179, 219; striatulus, 118
Pluteolus, 228, 229
Poa annua, 155; compressa, 155; pratensis, 155; Sandbergii, 154; triflora, 154
Podophyllum, 140
Pogonatum brevicaule, 119
Pogonia ophioglossoides, 121
Pohlia polymorpha, 62
Polycarpon tetraphyllum, 158
Polycodium, 140
Polygala ambigua, 122
Polygalaceae, 122
Polygonaceae, 121
Polygonatum arifolium, 137; biflorum, 136, 10, 12

Polygonella, 140
Poygonum aviculare, 155; Convolvulus, 155; Hydropiper, 155; Persicaria, 155
Polypodiaceae, 120
Polypodium, 140
Polypogon littoralis, 157; monspeliensis, 155
Polyporaceae, 117
Polyporus adustus, 117; albellus, 117; amygdalinus, 117; dichrous, 117; glomeratus, 202–206; radiatus, 202, 203, 205; squamosus, 118; sulphureus, 179, 219
Polyporus glomeratus Peck, The Structure of, 202
Polysiphonia violacea, 112
Polystictus cinnamomeus, 118
Polythelia Thalictri, 116
Polytrichum commune uliginosum, 119
Pontederia, 140
Populus, 140; balsamifera, 161; grandidentata, 8, 11, 178; tremuloides, 178
Poria medulae-panus, 118; pinea, 118; radula, 118; Weirii, 205
Potamogeton, 140; alpinus, 84; americanus, 81; amplifolius, 81; angustifolius, 82; angustifolius connecticutensis, 84; bupleuroides, 84; Claytonii, 81, 84; compressus, 83, 84; confervoides, 82, 84; crispus, 82; dimorphus, 83; diversifolius, 83; epihydrus, 81; epihydrus cayugensis, 84; Faxoni, 84; filiformis, 84; foliosus, 84; foliosus niagarensis, 84; heterophyllus, 81; heterophyllus graminifolius, 82; heterophyllus myriophyllus, 82; hydridus, 84; lonchites, 81, 84; natans, 80, 81; minor, 82; lucens, 84; Oakesianus, 81; obtusifolius, 83; pectinatus, 83; perfoliatus, 82, 84; perfoliatus Richardsonii, 82; praelongus, 82; pusillus, 83; pusillus Sturrockii, 84; pusillus tenuissimus, 84; Robbinsii, 83, 84; rutilans, 84; strictifolius, 84; Tuckermani, 82; Vasey, 84; Zizii, 82; zosteraefolius, 83
Potentilla canadensis, 9, 136
Proceedings of the Club, 28, 86, 107, 164, 227
Propago, 197
Proserpinaca, 140
Prunus maritima, 140; serotina, 7, 35, 139; Persica, 156
Pseudopeziza Medicaginis, 112
Pteridium, 140; aquilinum, 12
Pteridophyta, 120
Pteris aquilina, 177; aquilina pubescens, 154
Puccinia Acetosae, 116; angustata, 116; canaliculata, 116; Caricis-strictae, 116; Cichorii, 116; Clematidis, 116; Convolvuli, 116; Eleocharidis, 116; epiphylla, 116; extensicola, 116; fraxinata, 116; Grossulariae, 116; Impatientis, 116; Phlei-pratensis, 116; poculiformis, 116; Polygoni-amphibii, 116; Prenanthis-racemosae, 116; Proserpinaceae, 116; Rhamni, 116; salviicola, 25; Smilacis, 116; Xanthii, 116
Pupin, M. I., 110
Pyrola, 140
Pyrus communis, 121; Malus, 156
Pulpa, 197
Pulvinus, 197

Quercus alba, 7, 11, 135; bicolor, 135, 139; borealis maxima, 135; coccinea, 7, 11, 140; ilicifolia, 140; marylandica, 140; montana, 7, 11, 140; palustris, 7, 135; prinoides, 140; stellata, 140; velutina, 7, 12, 134

Racemus, 198
Ralfsia verrucosa, 112
Rami, 198
Ranunculus, 140; repens, 156
Raphanus sativus, 156
Reed, G. M., The Discovery of Endophyllum sempervivi (Alb. & Schw.) deBarry in North America, 84
Report of the British Columbia Botanical Office (Review), 86
Reseda lutea, 158; luteola, 158
Reviews, 16, 27, 52, 62, 86, 103, 123, 226
Rhabdospora Lonicerae, 115; subgrisea, 115
Rhexia, 140
Rhizoclonium hieroglyphicum, 112
Rhizopus nigricans, 165
Rhopalomyia Solidaginis, 112
Rhus copallina, 140; glabra, 177; hirta, 140; radicans, 8, 135, 139; vernix, 8, 11, 136
Rhynchospora, 140
Rhytisma Ilicis-canadensis, 113
Ribes, 140
Riccardia pinguis, 119
Richards, H. M., 19, 29, 30, 86, 88, 109, 166, 227
Rivularia atra, 112
Rollinia emarginata, 76; orthopetala, 76
Rosa rubiginosa, 156; virginiana, 8
Roubieva multifida, 158
Rubiaceae, 122
Rubus allegheniensis, 178; fruticosus, 158; hispidus, 8, 11, 135; macropetalus, 154; nigrobaccus, 8, 12, 135, 139; occidentalis, 136, 139
Rudbeckia, 140

Rumex Acetosella, 155; conglomeratus, 155; crispus, 155; cuneifolius, 158; obtusifolius, 155; occidentalis, 154
Russula cyanoxantha, 179; emetica, 179, 211, 212; flavida, 219; virescens, 179
Rusts of the West Indies, 24
Rusty-spored Agarics, The, 228
Rydberg, P. A., 229

Sabatia stellaris, 10
Sabbatia, 140
Sagittaria Engelmanniana, 108; latifolia, 137
Salicaceae, 121
Salicornia ambigua, 9; herbacea, 10, 113
Salix caprea, 121; spp., 140
Salsola Kali, 155
Sambucus canadensis, 8, 12, 135
Sandy Sporophores, 55
Sanguinaria, 140
Sanguisorba, 140
Sanicula marilandica, 10, 137
Saponaria Vaccaria, 1
Sarmenta, 198
Sarracenia, 140
Sassafras variifolium, 8, 135
Saururus, 140
Saxifraga, 139, 140
Saxifragaceae, 121
Scapus, 198
Schizomycetes, 112
Schmidt, L., 109
Scirpus, 140; americanus, 10, 136; Olneyi, 10
Scleranthus annuus, 121
Sclerotinia and Botrytis, 163
Scrophularia sp., 137
Seaver, F. J., 228, 229; Proceedings of the Club, 167; Sclerotinia and Botrytis, 163
Selaginella, 140
Self-pruning in the American elm, 21
Semi-centennial of the Torrey Botanical Club, The, 168, 183
Sempervivum albernettii, 84, 85; punctatum, 85
Senecio Jacobaea, 159; sylvaticus, 156; viscosus, 159
Septoria Caryophylii, 115; graminium, 115
Sericocarpus, 140; asteroides, 10, 12
Sesqui, 198
Setaria imberbis, 157
Sextarius, 198
Sexual Dimorphism and Variation in Ginkgo biloba, L., 225
Shafer, J. H., 129
Shorter Notes, 16, 27, 103, 123, 163
Shreve, F., 19, 88
Shreve's Vegetation Map of the United States (Review), 103
Silene, 140; stellata, 9, 12
Siliqua, 198
Silybum marianum, 159
Sinnott, E. W., 19
Sinus, 199
Sisymbrium altissimum, 156; officinale, 158
Sisyrinchium, 6
Sium cicutaefolium, 137
Skottsberg, C., 182, 206
Small, J. K., The Genus Anamomis in Florida, 211
Smilax herbacea, 10, 137; glauca, 140; rotundifolia, 8, 11, 135
Solanaceae, 122
Solanum nigrum, 156, 159; sisymbriifolium, 159
Solidago bicolor, 9, 11, 12; caesia, 9, 12, 136; juncea, 10; lepida, 155; rugosa, 10, 137; sempervirens, 9, 137; speciosa, 122; spp., 140
Some Cytological Features of the Porto Rican Endophyllums, 88
Some Effects of Excessive Heat in Northern Michigan, 176
Sonchus asper, 157; oleraceus, 157
Sorghastrum, 140
Soybeans, 101
Spartina alterniflora glabra, 9; patens, 9, 136; polystachya, 10, 137
Spathyema foetida, 9, 11, 136
Spergula arvensis, 155
Spergularia marina, 154; rubra, 154
Sphaerobolus stellatus, 118
Sphaeropsis Actostaphylii, 115; Celastrina, 115; Juniperi, 115; malorum, 165; rubicola, 115; sepulta, 115
Sphaeropsideae, 114
Sphagnum, 108; compactum, 119; cymbifolium, 61; magellanicum, 61; palustre, 61; papillosum, 61; subsecundum, 119
Spica, 199
Spinacia oleracea, 158
Spiraea, 140
Spirodela, 140
Spongiae, 199
Spongipellis, 31
Sporobolus, 140
Staphylea, 181
Stamina, 199
Stellaria media, 156
Stereum albo-badium, 117; fasciatum, 117
Stigeoclonium, 124
Stipa littoralis, 157
Stipulae, 199

Stout, A. B., 19, 167; Notes Regarding Variability of the Rose Mallows, 142
Stolones, 199
Striae, 199
Strobilomyces strobilaceus, 179
Stropharia, 211
Strophostyles helvola, 10
Structural Dimorphism in a Red Alga, 31
Structure of Polyporus glomeratus Peck, The, 202
Suffrutices, 199
Surculus, 199
Symphoricarpos albus, 155
Syndesmon thalictroides, 137
Syntherisma sanguinalis, 120

Tanacetum vulgare, 156
Taphrina Quercus, 112
Tapina, 228, 229
Taylor, N., 19, 68, 87, 107, 182; Report of the British Columbia Botanical Office (Review), 86
Tubaria,
Two Long Island Peat Bogs, 108
Tetragonia expansa, 158
Teucrium littorale, 122
Thallophyta, 112
Thelephoraceae, 117
Thomas, H. E., 32
Thurston, H. W., 166
Thyrsus, 199
Tiarella, 140
Tilia, 140
Torreya, 110, 206
Tortula subulata, 62
Tomentum, 199
Tori, 200
Tovara virginiana, 136
Trees in Winter, 166
Trelease on Phoradendron (Review), 16
Tremellaceae, 117
Tremellodendron pallidum, 117
Trentepohlia, 124, 125
Triadenum virginicum, 108, 137
Trichoderma lignorum, 114
Tricholoma personatum, 179; sejunctum, 179
Triens, 200
Trientalis, 140
Trifolium arvense, 158; hybridum, 156; pratense, 156; procumbens, 156; repens, 156
Triglochin, 140
Triosteum, 140
Trillium, 140, 141
Triticum vulgare, 155
Trypeta Solidaginis, 112
Tsuga canadensis, 135, 140
Tubaria, 228, 229
Tunica, 200
Turbo, 200
Turiones, 200
Two Long Island Peat Bogs, 108
Type, Cotype and Tototype Labels, 13
Typha angustifolia, 9, 136; latifolia, 136

Ulex europaeus, 156
Ulmaceae, 121
Ulmus americana, 135, 139, 140
Ulocolla foliacea, 117
Ulothrix implexa, 112
Unifolium canadense, 9, 11, 136
Uredinopsis mirabilis, 116
Urocystis Cepulae, 115
Uromyces appendiculatus, 25; fallens, 116; Hyperici-frondosi, 116; Junci-effusi, 116; minutus, 117; pedatatus, 117; perigynius, 117; Polygoni, 117; Scirpi, 117; Trifolii, 117; uniporulus, 117
Urtica dioica, 157; urens, 121
Urticaceae, 121
Urticastrum, 140
Use of Sphagnum for Surgical Dressings, The, 31
Ustilaginaceae, 115
Ustilago Crus-galli, 115; Rabenhorstiana, 115
Utricularia clandestina, 164; cleistogama, 164; geminiscapa, 122, 164
Uvularia sessilifolia, 137

Vacciniaceae, 122
Vaccinium corymbosum, 136; 161, 162; pennsylvanicum, 177, 178; spp., 140; vacillans 8, 11, 136; vicinum, 122
Vagnera racemosa, 9, 12, 136; stellata, 140
Vallisneria, 140
Valsa Liquidambaris, 114; pauperata, 114
Vascula, 200
Venae, 200
Verbascum Blattaria, 156; Thapsus, 156
Verbena officinalis, 158
Vermicularia petiolicola, 115
Vermiculatum, 200
Veronica, 140
Verticillum, 200
Very Rare Polypore located in the Virginia Mountains, A, 31
Viburnum acerifolium, 8, 12, 135; dentatum, 8, 136, 139; Lentago, 140; prunifolium, 135; cassmoides, 140
Vicia angustifolia, 158; villosa, 121
Vinacei, 201
Viola, 6; papilionaceae, 137; pedata, 140, 141
Vitis aestivalis, 8, 11, 135

Virga, 201
Virgultum, 201
Viticulae, 201
Volvaria eleganti, 214

Washingtonia, 138; Claytoni, 137, 139; longistylis, 136, 139
Weaver, J. E., Clements's Plant Succession (Review), 62
Weight of Seeds as Related to Their Number and Position, The, 180
Weight of Seeds as Related to Their Number and Position in the Pod, 101
William Young, Jr., of Philadelphia, Queens' Botanist, 91
Williams, R. S., 31
Wood, Mrs. C., death of, 107

Xanthium speciosum, 159; spinosum, 159
Xyris, 140

Young, William, Jr., of Philadelphia, Queen's Botanist, 91

Zannichellia palustris, 84, 120
Zannichelliaceae, 120
Zizia, 140
Zoe, 206

The Torrey Botanical Club

Contributors of accepted articles and reviews who wish six gratuitous copies of the number of TORREYA in which their papers appear, will kindly notify the editor when returning proof.

Reprints should be ordered, when galley proof is returned to the editor. The New Era Printing Co., 41 North Queen Street, Lancaster, Pa., have furnished the following rates:

	2pp	4pp	8pp	12pp	16pp	20pp
25 copies	**$ .79**	**$1.14**	**$1.78**	**$2.32**	**$2.87**	**$3.28**
50 copies	**1.03**	**1.43**	**2.23**	**2.82**	**3.52**	**3.92**
100 copies	**1.45**	**2.03**	**2.73**	**3.50**	**4.23**	**4.55**
200 copies	**2.15**	**3.24**	**3.92**	**5 25**	**6.52**	**6.92**

Covers: 25 for $1.00, additional covers $1\frac{1}{4}$ cents each.

Plates for reprints, 50 cents each per 100.

The following committees have been appointed for 1916:

Finance Committee

R. A. Harper, *Chairman.*
J. H. Barnhart,
Miss C. C. Haynes
Sereno Stetson

Budget Committee

J. H. Barnhart, *Chairman.*
R. A. Harper
N. L. Britton
B. O. Dodge
A. W. Evans
M. A. Howe
H. H. Rusby

Field Committee

Percy Wilson, *Chairman.*
Mrs. L. M. Keeler
Michael Levine
William Mansfield

Program Committee

Mrs. E. G. Britton, *Chairman.*
Prof. Jean Broadhurst
B. O. Dodge
T. E. Hazen
F. J. Seaver

Membership Committee

J. K. Small, *Chairman.*
Michael Levine
E. W. Olive

Local Flora Committee

N. L. Britton, *Chairman.*

Phanerogams:	**Cryptogams:**
E. P. Bicknell	Mrs. E. G. Britton
N. L. Britton	T. E. Hazen
C. C. Curtis	M. A. Howe
K. K. Mackenzie	Michael Levine
Norman Taylor	W. A. Murrill

Chairmen of Special Committees on Local Flora

Ferns and Fern Allies: R. C. Benedict.
Mosses: Mrs. E. G. Britton
Liverworts: A. W. Evans
Fresh Water Algae: T. E. Hazen
Marine Algae: M. A. Howe
Gasteromycetes: G. C. Fisher
Hymenomycetes: W. A. Murrill
Except Russula and Lactarius: Miss G. Burlingham
Cortinarius: R. A. Harper
Polyporeae: M. Levine
Exobasidii: H. M. Richards
Rusts and Smuts: E. W. Olive
Discomycetes: B. O. Dodge

Lichens: W. C. Barbour
Sphaeriaceae, Dothideaceae: H. M Richards
Hypocreaceae, Perisporieae, Plectascineae, Tuberineae: F. J. Seaver
Fungi-forming sclerotia: A. B. Stout
Imperfecti: H. M. Richards, F. Seaver, Mel T. Cook
Oomycetes: C. A. King
Zygomycetes: A. F. Blakeslee
Chytridiaceae,
Myxomycetes: Mrs. H. M. Richards
Yeast and Bacteria: Prof. J. Broadhurst
Insect galls: Mel T. Cook

OTHER PUBLICATIONS

OF THE

TORREY BOTANICAL CLUB

(1) BULLETIN

A monthly journal devoted to general botany, established 1870. Vol. 43 published in 1916, contained 676 pages of text and 35 full-page plates. Price $4.00 per annum. For Europe, 18 shillings. Dulau & Co., 47 Soho Square, London, are, agents for England.

Of former volumes, only 24–43 can be supplied entire; certain numbers of other volumes are available, but the entire stock of some numbers has been reserved for the completion of sets Vols. 24–27 are furnished at the published price of two dollars each; Vols. 28–43 three dollars each.

Single copies (30 cents) will be furnished only when not breaking complete volumes.

(2) MEMOIRS

The Memoirs, established 1889, are published at irregular intervals. Volumes 1–15 are now completed; No. 1 of Vol. 16 has been issued. The subscription price is fixed at $3.00 per volume in advance. The numbers can also be purchased singly. A list of titles of the individual papers and of prices will be furnished on application.

(3) The Preliminary Catalogue of Anthophyta and Pteridophyta reported as growing within one hundred miles of New York, 1888. Price, $1.00.

Correspondence relating to the above publications should be addressed to

DR. BERNARD O. DODGE
Columbia University
New York City